目录

Catalogue

电性参数

Electrical Characteristics..... 3

[redacted]

Typical Characteristic Curves.....7

可靠性实验

Reliability Test Items And Conditions.....8

[redacted]

Outline Dimensions.....10

包装

Packaging.....11

[redacted]

Guideline for Soldering.....13

[redacted]

Precautions.....15

电性参数

ǎ Ta=25 !ōǎƨfʤzúŜ a lˑÈʎYˊʤYˊ wlˑúʎyƷ(ta=25)

ǎ O Parameter	ˆ Symbol		Rating	ϟ Unit
w Consumed power	Pd	R	50	mW
		G	70	
		B	70	

B

Part

Part

‰

Failure criteria

‰ standard	project	Test conditions	‰ Failure criteria
1	h ㄔó±cú C2ℕǿł·ℕŘ Ø2fűł·ƎŜ ó±Cú	LcΓнлY !	¦⊕{⊕[ғм⊕м
	L± [λƎKű λyűŜyãλűè óL±ú	LcΓнлY !	[⊕{⊕[ғл⊕т
	ǐ h óLwú wŜØŜℕăŜ ŏdzℕℕŜyű óLwú	±wΓp±	¦⊕{⊕[ғн⊕л
2	² ŜfŘλyƎ ℕŜfλł·ōλfßúè	κ	ϕp̂ ¢ĸŜ LJN2LJ2ℕűλ2y´2ғ ă2fŘŜℕ LJł·ăűŜ Ŏ2ØŜℕλyƎ LJł·Řă λă fŜăă úĸł·y´ϕp̂

Part

使用注意事项（2）

Precautions (2)

[redacted]

[redacted]eration

LED [redacted] ↕