# 3528 七彩（黑面共阳）

## 特点（F ）：

* L/W/H :3.5*2.8*1.9mm

outline Dimensions (L / w / h): 3.5*2.8*1.9mm

* : /

Luminous color and colloid: Red green and blue / transparent colloid

* ROHS

Environmental protection products Complied With ROHS Directive

* MSL :3

Moisture sensitivity level MSL : 3 levels

* EIA

EIA standard packaging

* SMT

Suitable for SMT automatic production

## 应用领域（P ）：

*

Channel lettering;

*

Sign;

*

Identifying;

*

Advertising light box;

*

Lighting decoration;

*

Special clothing;

*

Arts and Crafts

## 电性参数

Ta=25 (ta=25 )

| | | | | |
|---|---|---|---|---|
| Consumed power | Pd | R | 50 | mW |
| | | G | 70 | |
| | | B | 70 | |
| Peak Forward current | IFP | R | 80 | mA |
| | | G | 80 | |
| | | B | 80 | |
| Forward working current | IF | R | 20 | mA |
| | | G | 20 | |
| | | B | 20 | |
| Reverse voltage | VR | R | 5 | V |
| | | G | 5 | |
| | | B | 5 | |
| Antistatic ability | | | 2000 | ¶ti.w |

# 包装（2）

## Packaging (2)

◇ 防潮抗静电包装 Moisture Proof and Antti-Electrostic Foil Bag

◇ 外包装箱 Cardboard Box




◇ 标签说明 Label Expantion